



Contribution ID: 246

Type: Talk

## QCD thermodynamics on the physical point with 2+1 flavor Möbius domain wall fermions

*Tuesday, 30 July 2024 12:15 (20 minutes)*

We report on the investigation of the thermodynamics of 2+1 flavor QCD along the lines of constant physics (LCP) tuned on and near the physical point with Möbius domain wall fermions. The study is aiming to explore the temperature range covering (pseudo-) criticality for two lattice spacings with  $N_t = 12$  and 16. In our simulations the lattice spacing covers  $1.4 > a > 0.6$  fm, where the residual chiral symmetry breaking changes two-orders of magnitude:  $3m_{ud}^{phys} > m_{res} > 0.03m_{ud}^{phys}$  compared with the physical average  $ud$  quark mass. We discuss how one can control the effect of  $m_{res}$ . It is crucial for the chiral condensate, which is used for the demonstration.

**Primary author:** AOKI, Yasumichi (RIKEN)

**Co-authors:** FUKAYA, Hidenori (Osaka Univ.); GOSWAMI, Jishnu (RIKEN Center for Computational Science); HASHIMOTO, Shoji (KEK); KANAMORI, Issaku (RIKEN); KANEKO, Takashi (KEK); NAKAMURA, Yoshifumi (RIKEN); Dr ZHANG, Yu (Bielefeld University)

**Presenter:** AOKI, Yasumichi (RIKEN)

**Session Classification:** QCD at non-zero temperature

**Track Classification:** QCD at Non-zero Temperature