



Contribution ID: 159

Type: **Talk**

## Studies of nucleon isovector structures with the PACS10 superfine lattice

*Friday 2 August 2024 14:55 (20 minutes)*

We present results of nucleon structures measured in 2+1 flavor QCD with the physical light quarks in a large spatial extent of about 10 fm. Our calculations are carried out with the PACS10 gauge configurations generated by the PACS Collaboration with the stout-smeared  $O(a)$  improved Wilson fermions and Iwasaki gauge action at  $\beta=1.82, 2.00$  and  $2.20$  corresponding to the lattice spacings of 0.09 fm (coarse), 0.06 fm (fine) and 0.04 fm (superfine) respectively. In this talk, we will mainly report our preliminary results of nucleon isovector form factors obtained with the superfine lattice.

**Primary author:** TSUJI, Ryutaro (KEK)

**Co-authors:** SHINTANI, Eigo (University of Tsukuba); WATANABE, Hiromasa (YITP, Kyoto University); ISHIKAWA, Ken-Ichi (Hiroshima University); SATO, Kohei (University of Tsukuba); SASAKI, Shoichi (Department of Physics, Tohoku University); YAMAZAKI, Takeshi (Univ. of Tsukuba); AOKI, Yasumichi (RIKEN); KURAMASHI, Yoshinobu (University of Tsukuba)

**Presenter:** TSUJI, Ryutaro (KEK)

**Session Classification:** Structure of hadrons and nuclei

**Track Classification:** Structure of Hadrons and Nuclei