

Dark matter: then and now


Christopher McCabe


IPPP 2011 - 2014


Then: circa 2011 - 2014













Status of Standard Model Higgs searches in ATLAS


Using the full datasets recorded in 2011 at \sqrt{s} = 7 TeV and 2012 at \sqrt{s} =8 TeV: up to 10.7 fb⁻¹



















Christopher McCabe





arXiv: 1404.4977, PRD

Galactic Centre Excess (of gamma-rays)




arXiv: 1401.6458, PRD





Neutralino dark matter and the Fermi gamma-ray lines

Guillaume Chalons,^{1,*} Matthew J. Dolan,^{2,†} and Christopher McCabe^{2,‡}



arXiv: 1211.5154, JCAP


Now




Cosmic Frontier's recommendation

Delve deep (cover high priority targets e.g., WIMPs) **Search wide** (explore as much DM parameter space as possible)

Cooley et al, arXiv:2209.07426




Dark matter: Macroscopic masses and cross-sections



Dark matter: Macroscopic masses and cross-sections

Lesson from IPPP:
Quantifying backgrounds
is an important as
quantifying the signal



AMBIENT NOISE IN THE SEA DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited NAVAL SEA SYSTEMS COMMAND

UNCLASSIFIED UNLIMITED


QinetiQ Proprietary

QinetiQ

SEA 7 Technical report: Underwater ambient noise (Non-technical summary)


Eavesdropping on whales

The acoustic detection of ultra high energy neutrinos in the $Mediterrane an\ Sea$




Cleaver, CM arXiv: 2502.17593 PRD (to appear)


Dark matter: MeV - GeV scale




DarkSPHERE (Balogh, Hamaide, CM...) arXiv: 2301.05183, PRD



Dark matter: MeV - GeV scale




Dark matter: MeV - GeV scale



Hamaide, CM arXiv: 2110.02985, PRD

New frontiers with atom interferometry: neV scale





AION (Badurina, CM, et al) arXiv: 1911.11755, JCAP arXiv: 2504.09158 arXiv: 2508.03491


Initial puzzle: what should we do with curves below 1 Hz?

Simply cut-off the lines?

Almost certainly too conservative


Lesson from IPPP:
Quantifying backgrounds
is an important as
quantifying the signal

Lesson from IPPP:
Sometimes you need to just get on and tackle the difficult calculations



Seismic effects


surface waves, body waves, ...



Christopher McCabe

Seismic effects surface waves, body waves, ...


Atmospheric effects temperature, pressure, ...



Seismic effects surface waves, body waves, ...

Atmospheric effects temperature, pressure, ...

Ocean/sea effects
e.g. if hosted at Boubly




Christopher McCabe

Seismic effects surface waves, body waves, ...

Atmospheric effects temperature, pressure, ...

Ocean/sea effects
e.g. if hosted at Boubly

Local moving objects vehicles, etc



Seismic effects

surface waves, body waves, ...

Badurina, CM, et al, arXiv:2211.01854 (PRD)

Atmospheric effects temperature, pressure, ...
Carlton, CM, et al, arXiv:2412.05379 (PRD)

Ocean/sea effects
e.g. if hosted at Boubly

Local moving objects vehicles, etc

Carlton, CM, arXiv:2308.10731 (PRD)

