



Contribution ID: 298

Type: **Talk**

Extraction of the bare form factors for the semi-leptonic B_s decays

Friday, July 29, 2016 6:10 PM (20 minutes)

The extraction of bare ground-state matrix elements for $B_s \rightarrow K \ell \nu$ decay at 2% precision poses a significant numerical challenge. Especially the B-sector, treated in HQET, is problematic due to large contamination by excited states combined with the signal-to-noise problem. The numerical setup that we use provides access to all time separations for both the two-point and three-point correlation functions of interest, for several different smearings. Using this data, we show how the extraction is achieved using two different techniques - the combined fits to two- and three-point correlation functions, as well as the ratio method (where we compare different possible ratio definitions, including summed ratios).

Author: Dr KOREN, Mateusz (NIC, DESY Zeuthen)

Co-authors: Dr BANERJEE, Debasish (NIC, DESY); Dr BAHR, Felix (NIC, DESY Zeuthen); Prof. SIMMA, Hubert (NIC, DESY Zeuthen); Prof. SOMMER, Rainer (NIC @ DESY)

Presenter: Dr KOREN, Mateusz (NIC, DESY Zeuthen)

Session Classification: Weak Decays and Matrix Elements

Track Classification: Weak Decays and Matrix Elements