



Contribution ID: 204

Type: Talk

## Electromagnetic pion form factor near physical point in $N_f = 2 + 1$ lattice QCD

*Friday, July 29, 2016 2:40 PM (20 minutes)*

We present preliminary result of the electromagnetic form factor of the pion at  $m_\pi = 0.145$  GeV on the large volume corresponding to  $L = 8.1$  fm using stout-smearing Wilson clover quark action and Iwasaki gauge action at  $a^{-1} = 2.333$  GeV. The mean square charge radius is estimated from the results at small space-like momentum transfer with the NLO formula in SU(2) chiral perturbation theory. Our preliminary result of the charge radius is compared with the experiment and previous lattice calculations.

**Author:** Mr KAKAZU, Junpei (University of Tsukuba)

**Co-authors:** Dr ISHIKAWA, Ken-Ichi (Hiroshima University); Dr UKITA, Naoya (University of Tsukuba); Dr ISHIZUKA, Naruhito (University of Tsukuba); YAMAZAKI, Takeshi (Univ. of Tsukuba); Dr YOSHIE, Tomoteru (University of Tsukuba); Dr NAKAMURA, Yoshifumi (RIKEN); Prof. KURAMASHI, Yoshinobu (University of Tsukuba/RIKEN AICS); NAMEKAWA, Yusuke (University of Tsukuba); Dr TANIGUCHI, Yusuke (University of Tsukuba)

**Presenter:** Mr KAKAZU, Junpei (University of Tsukuba)

**Session Classification:** Hadron Structure

**Track Classification:** Hadron Structure