



Contribution ID : 71

Type : **Talk**

## **S-duality in lattice N=4 super Yang-Mills**

*Tuesday, 26 July 2016 16:50 (20)*

Formulations of lattice supersymmetry over the last decade have been able to significantly reduce the amount of fine-tuning necessary in order to obtain the correct continuum limit. In the case of N=4 super Yang-Mills, the approach that has emerged as the best path forward is based on a topological twisting of the theory. Monotonen and Olive found evidence that a duality could exist in Yang-Mills with adjoint scalars. In this scheme, the 't Hooft-Polyakov monopole is dual to the W boson, leading to a theory equivalent to the original one, but with magnetic charge replacing electric charge. The duality is believed to be realized in N=4 super-Yang-Mills. We are pursuing numerical, nonperturbative evidence for this S-duality using our lattice formulation. The various tricks that are necessary for doing this will be described.

**Primary author(s)** : SCHAICH, David (Syracuse University); Prof. GIEDT, Joel (Rensselaer Polytechnic Institute); Dr DAMGAARD, Poul (Neils Bohr Institute); Prof. CATTERALL, Simon (Syracuse University)

**Presenter(s)** : Prof. GIEDT, Joel (Rensselaer Polytechnic Institute)

**Session Classification** : Physics Beyond the Standard Model

**Track Classification** : Physics Beyond the Standard Model