



Contribution ID: 307

Type: Talk

## Importance of closed quark loops for lattice QCD studies of tetraquarks

*Monday, July 25, 2016 4:45 PM (20 minutes)*

To investigate the light scalar tetraquark candidate  $a_0(980)$  (quantum numbers  $J^P = 0^+$ ), a correlation matrix including a variety of two- and four-quark interpolating operators has to be computed. We discuss efficient techniques to compute the elements of this correlation matrix. In particular we present numerical results for diagrams with closed quark loops and present evidence that such diagrams are not negligible, i.e. that their contribution is essential to obtain physically meaningful results.

**Authors:** Dr ABDEL-REHIM, Abdou (Cyprus Institute); Prof. ALEXANDROU, Constantia (Cyprus Institute); Dr FINKENRATH, Jacob (The Cyprus Institute); Mr BERLIN, Joshua (University of Frankfurt); Prof. WAGNER, Marc (Goethe University Frankfurt); Dr GRAVINA, Mario (Università della Calabria); Dr DALLA BRIDA, Mattia (DESY - Zeuthen); Dr LEONTIOU, Theodoros (Cyprus Institute)

**Presenter:** Mr BERLIN, Joshua (University of Frankfurt)

**Session Classification:** Hadron Spectroscopy and Interactions

**Track Classification:** Hadron Spectroscopy and Interactions